

THE PREVENTIVE & REMEDIAL.

RESULT: ZERO HARM

- Giải pháp phòng ngừa và xử lý

DEVELOPMENT OF A LABOUR PROTECTION PLAN

- Techniques of safety and protection of fire and explosion.
- Techniques of occupational health, improvement of working condition.
- Personnel protective device for worker.
- Health care and prevention of occupational diseases for worker.
- Education and training on labor protection.

DEVELOPMENT & IMPLEMENTATION OF A LABOUR PROTECTION PLAN.

CÔNG TY TÔN PHƯƠNG NAM

BẢNG DỰ TRÙ KINH PHÍ CHO CÔNG TÁC BHLĐ NĂM 2007

STT	CÔNG VIỆC THỰC HIỆN	KINH PHÍ DỰ TRÙ(VNĐ)
1.	Kỹ thuật an toàn và phòng chống cháy nổ	31.700.000,0
2.	Kỹ thuật vệ sinh lao động	14.000.000,0
3.	Trang thiết bị bảo hộ cá nhân	81.020.000,0
4.	Chăm sóc sức khỏe người lao động	159.500.000,0
5.	Tuyên truyền, giáo dục, huấn luyện	12.500.000,0

TỔNG CỘNG : 298.720.000 (VNĐ)
(Hai trăm chín mươi tám triệu bảy trăm hai mươi ngàn đồng chẵn)

Biên hoà, ngày 11 /12 / 2006


P TỔNG GIÁM ĐỐC CÔNG TY




ĐẶNG HUY HIỆP

Machinery, equipment having strict safety requirements are Register & Audit.

100% - Register & Audit





- 1. To draw up appropriate rules and processes of OSH for different kinds of machinery, equipment and an OSH rule for the workplace.

2. To undertake, education and training for the workers on standards, regulation and measures ensuring OSH: 6 months/time





3. To provide the workers with sufficient personal protective devices.
4. Intensification supervise.

Hang regulations in workplace



Hang regulations in workplace



To organize a network of
collaboration on labor safety.

Training for Prevent and fight fire.



Training for Prevent and fight fire.



AN TOÀN PHÒNG TRÁNH NGÃ CAO



PHẢI ĐẪN DÂY AN TOÀN
KHI LÀM VIỆC TRÊN CAO



CẮM ĐUNG TRÊN ĐỈNH
PANEL TƯỜNG KHI LẮP SẼP



CẤM NGỒI XÂY TRÊN ĐỈNH TƯỜNG



PHẢI CHÈ CHÁNH LỖ CỬA TƯỜNG NGOÀI
ĐỂ PHÒNG NGÃ TỪ TRÊN CAO



PHẢI ĐẮC TRANG ĐUNG ĐỘ NGHIÊNG (70°)
ĐẦU TRANG NHỎ KHỐI ĐIỂM TỈ 1m



HẾT CHÂN TRANG KHÔNG VÙNG CHÁI,
PHẢI CÓ NGƯỜI GIỮ CHÂN TRANG



PHẢI TÌ BÀI CỘT TRANG VÀO ĐIỂM TỰA,
KHÔNG TÌ ĐẮC SẮC TRANG



CHỖ Y KHI ĐẮC TRANG Ở CỬA RA VÀO,
NƠI CÓ NHIỀU NGƯỜI QUA LẠI

TRANG HIỆN THỰC TẾ TUÂN LỆ QUỐC GIA VỀ AN TOÀN VÀ SỨC KHỎE CÔNG NHÂN - PHÒNG CHỐNG CHÁY SỐ

AN TOÀN TRONG CÔNG TÁC CẢI THIỆN



GÓC GIỮA CÁC NHÁNH DÂY TRỆC
KHÔNG NÊN QUÁ 90°




CẮM ĐUNG GIỮA 2 CHỖNG PAREN
KHI MỐC CẦU



PHẢI SỬ DỤNG DÂY CÁP
PHÙ HỢP VỚI TẢI TRỌNG




PHẢI NHẮT HÀNG LÊN CAO
TỐI THIỂU 0,5 m TRÊN CÁC VẬT CẦU,
TRƯỚC KHI CHUYỂN HÀNG THEO PHƯƠNG NGANG



PHẢI ĐẢM BẢO KHOẢNG CÁCH AN TOÀN
BÊN BỜNG DÂY TẢI ĐIỆN TRÊN KHÔNG



CẤM CHỖ NGƯỜI LÊN CAO
BẮNG CÁN TRỰC



CẮM CẦU HÀNG KHI HẾT KIẾN DÂY CÁP


TRANG HIỆN THỰC TẾ TUÂN LỆ QUỐC GIA VỀ AN TOÀN VÀ SỨC KHỎE CÔNG NHÂN - PHÒNG CHỐNG CHÁY SỐ

Education and training on labor protection.



Regulation on reward and punish
for labor safety: 3 months/time

Health care and prevention of occupational diseases for worker



1. To provide the workers with periodical medical examinations, in accordance with state standards and regulations.
2. The provision of allowances on spot during the work shift.
3. Holiday.

Improvement of working condition

1. Seiri: Sang loc.
2. Seiton: Sap xep.
3. Seiso: Sach se.
4. Seiketsu: San soc.
5. Shitsuke: San sang.





Improvement of Working Condition

- DAY LIGHT.
- TEMPATURE AT WORKPLACE.







Summarize safety after 11 years




- Occupational Accident:
- Injury: 5 persons
- Diseases: 0 person



- Safety frist
- Unsubjective

THINK ABOUT COURSE



The end

