

温・ 低温 物と の接 触	18	18	28	23	31	22	26	15	25	18	16	18	34	21	19	25	25	12	12	13	17	436
分類 不能	12	20	10	10	24	10	16	6	13	11	16	4	4	5	9	8	9	9	7	12	12	227
有害 物と の接 触	7	3	7	6	15	4	7	6	5	13	9	5	11	9	7	17	12	17	17	7	11	195
崩 壊・ 倒壊	17	7	9	27	18	13	15	6	13	11	7	8	13	10	5	8	17	6	3	8	10	231
踏抜 き	2	3	2	3	2	3	2	1	2	1	3	4	3	2	3	3	1	1	4	45		
感電	4	1	4	1	4	2	2	2	2	1	1	2	3	7	2	4	42					
交通 事故 (そ の 他)	1	1	1	3	2	1	1	1	1	2	1	3	1	2	1	3	1	2	21			

おぼ れ		1		1					1	2		7			1	1					1		2	17	
火災		1						1					6	1	3		1				1				14
爆発								2																	2
破裂														1			1								2
合計		2,351	2,851		2,368		2,848	2,605	2,174	2,515	2,351	2,608	3,021	3,294	3,407	3,944	2,924	3,321	3,484	3,968	2,987	3,230	3,758	4,477	64,486

出典：<https://anzeninfo.mhlw.go.jp/user/anzen/tok/anst00.html>（職場のあんぜんサイト）

https://www.jisha.or.jp/international/topics/202312_21.htmlに戻る。