

低温 物と の接 触	8	12	15	12	17	11	12	4	12	17	9	7	5	9	3	14	10	8	8	9	9	211
交通 事故 (道 路)	7	8	8	4	9	6	6	9	6	12	9	13	3	3	7	11	6	6	6	4	9	152
おぼ れ	4	4	6	2	2	2	4	6	3	1	3	1	4	2	6	4	3	4	1		2	64
有害 物と の接 触	3		1	2	3		1	1	1	1		3	1	2			2	2		1	2	26
その 他	3	4	4	2	1		2	1	1	2	3	3		3		4	1	1	1	1	1	38
交通 事故 (そ の 他)	2																		1		1	4
火災	3	9	6	1	4	3		1			2	3	1						1			34

爆発	1			5		3							2	1								1		13
感電	2	1				1	1	1	1							1								8
分類 不能	2					1	1						1			1								6
破裂	1																							1
合計	4,496	4,631		4,258		4,172	4,498	4,348	4,267	3,931	4,020	4,244	4,047	4,061	3,713	3,862	3,746	4,058	4,196	3,739	3,895	3,973	3,926	86,081

出典：<https://anzeninfo.mhlw.go.jp/user/anzen/tok/anst00.html>（職場のあんぜんサイト）

https://www.jisha.or.jp/international/topics/202312_21.htmlに戻る。