

(4) 異常気圧下における疾病の発生状況（業種別）（1988-2021年）（日本）

[illegible]

農林水産業		4	6	2	3	3	2	2	1	－	1	1	1	1	1	1	3	1	4	1	2	2	2	3	5	2	3	1	2	0	1	0	2	1	3
	死 亡																										0	1	0	0	0	0	0	1	0
商業・金融・広告業								1	1	－	1	1	1	-		-	-	0	0	0	1	1	0	1	0	0	0	2	2	1	0	0	0	0	0
	死 亡																										0	0	0	0	0	0	0	0	0
保健衛生業									1	－	－	－	－	-		-	-	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	死 亡																										0	0	0	0	0	0	0	0	0
接客・娯楽業									2	－	2	－	－	-		-	-	2	1	1	0	0	1	0	0	0	0	0	0	3	1	0	1	1	0
	死 亡																										0	0	0	0	0	0	0	0	0
清掃・と畜業										－	－	－	－	-		-	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	死 亡																										0	0	0	0	0	0	0	0	0
その他の事業			1			2			1	2	－	2	2	1		1	1	2	2	5	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
	死 亡																										0	0	0	0	0	0	0	0	0
全業種		8	10	7	3	9	3	4	11	5	7	10	10	7	5	3	8	11	16	20	18	6	3	10	12	11	21	13	15	10	19	11	22	6	11
	死 亡																										0	2	0	0	0	0	1	1	

職業性疾病とは、死亡または休業4日以上の職業性疾病を意味する。

データソース: https://www.mhlw.go.jp/stf/newpage_27177.html (MHLW, Japan)

<https://www.jisha.or.jp/international/topics/2021jd.html>へ戻る