

(9) 負傷によらない業務上の腰痛の発生状況（業種別）（1988-2021年）（日本）

[illegible]

[illegible]

農林水産業		3	7	1				1	2	2	1	1	1	2	1	3	2	3	2	1	0	2	1	3	0	0	0	0	0	0	1	0	0	0	1	
	死亡																									0	0	0	0	0	0	0	0	0		
商業・金融・広告業		28	41	36	27	9	15	10	19	24	13	18	18	15	15	16	8	15	11	7	14	7	8	16	11	9	7	3	6	6	4	6	5	4	5	
	死亡																										0	0	0	0	0	0	0	0	0	
保健衛生業							5	9	19	17	23	13	13	5	12	8	7	7	8	1	8	8	9	11	9	11	11	11	7	2	3	4	10	5	5	
	死亡																										0	0	0	0	0	0	0	0	0	
接客・娯楽業							9	3	12	8	3	1	1	5	6	2	6	1	2	2	2	6	4	2	2	4	5	3	1	3	2	4	3	4	0	
	死亡																										0	0	0	0	0	0	0	0	0	
清掃・と畜業							2	2	6	3	2	3	3	3	5	1	2	0	0	0	1	0	0	2	3	0	2	2	0	0	0	0	1	2	2	2
	死亡																										0	0	0	0	0	0	0	0	0	
その他の事業		76	61	36	25	11	6	2	6	6	9	2	2	5	5	2	4	1	4	1	6	9	6	4	8	4	3	7	1	0	5	4	0	4	2	
	死亡																										0	0	0	0	0	0	0	0	0	
全業種		267	353	297	186	64	96	62	127	112	79	73	73	72	77	70	61	54	55	31	57	47	54	58	56	43	50	41	29	29	27	27	33	34	29	
	死亡																										0	0	0	0	0	0	0	0	0	

職業性疾病とは、死亡または休業4日以上の職業性疾病を意味する。

データソース: https://www.mhlw.go.jp/stf/newpage_27177.html (MHLW, Japan)

<https://www.jisha.or.jp/international/topics/2021jd.html>へ戻る